



Active Ingredients

Nitrogen	(N)	245 g/L
Phosphorus	(P ₂ O ₅)	165 g/L
Potassium	(K ₂ O)	176 g/L
Sulphur	(S)	50 g/L
Iron	(Fe)*	700 mg/L
Zinc	(Zn)*	750 mg/L
Manganese	(Mn)*	300 mg/L
Copper	(Cu)*	300 mg/L
Boron	(B)	1450 mg/L
Molybdenum	(Mo)	70 mg/L

Also contains

Cytokinins	2 mg/L
Auxins	0,6 mg/L
Amino Acids	15 mg/L

*EDTA chelated SG = 1.5

NUMBER ONE

WATER soluble 3 : 2 : 1 LIQUID fertilizer with sulphur and micro elements for foliar feeding and fertigation

NUMBER ONE is a liquid fertilizer containing the essential range of micronutrients necessary for use as a foliar nutrient spray, ora as a fertigation treatment on crops as listed.

NUMBER ONE is recommended for use during plant growth periods that require relatively high Nitrogen levels.

Foliar Nutritional Program



NUMBER ONE repeated treatments during the vegetative period result in bio-mass increase and stronger plants.



NUMBER ONE Advantages & Special Characteristics

- Recommended for use during the plant growth periods that require relatively high Nitrogen levels
- Completely water-soluble
- Readily taken up by the plant and formulated for use as both a foliar feed and for fertigation
- Contains Amino-acids and Plant-hormones
- For optimum results, **NUMBER ONE** should be used in a program in combination with the other **NUMBER ONE** range of fertilizers
- Compatible with most agricultural remedies. It is however advisable to do a miscibility test prior to mixing with other chemicals.

Rate of Application

- The rate of application is dependent on the soil fertility and reaction required
- The lower rates should be used for maintenance while the higher rates will correct nutritional deficiencies



Direction for Use

Crop	Rate per Hectare	Rate	Remarks
Cocoa	100-200 ml / Ha	20-40 ml / 1 L of water	Apply every 2-4 weeks in the growing season as a full cover spray.
Field and Vegetable crops: Beans, Brassicae, Canola, Cereals, Celery, Cotton, Cucurbits, Garlic, Groundnuts, Lettuce, Maize, Onions, Peas, Peppers, Potatoes, Soybeans, Strawberries, Sweetcorn, Tobacco, Tomatoes, Wheat	0.5 L / Ha	50 ml / 100 L of water	Apply as a full cover spray using ground rig or knapsack application. Apply at 1 to 2 weeks intervals until the start of flowering
Soybeans & other legumes	0.5-1.5 L / Ha	50-100 ml / 100 L of water	<u>Aerial Application:</u> Apply at 1 to 2 week intervals as required until the start of flowering
Citrus, Mangoes	2 L / Ha	100-200 ml / 100 L of water	Apply every 2-4 weeks in the growing season as a full cover spray.

- **NUMBER ONE** should preferably be applied early in the morning or late in the afternoon
- The lower rates should be used for maintenance while the higher rates will correct nutritional deficiencies

Important Note:

The indicated crops and recommended rate of application mentioned in this Product informative sheet may not be applicable in the country where the product is intended to be used. User must refer and use the product only as per the official registration at the country of use and the approved uses and rates by the authorized authorities. The supplier will not be responsible or liable if the product is used on crops which are not listed on the official label as approved the ministry of agriculture at the country of use.

Disclaimer: This information and all further technical advice is based on our present knowledge and experience and approvals from the registration authorities. The visualizations presented herein are intended for illustrative and educational purposes only. They do not represent scientifically accurate depictions of agricultural processes, nor do they have any legal binding. The information depicted is based on widely recognized agricultural knowledge and practices described in writing. However, it implies no liability or other legal responsibility on our part, including with regard to existing third-party intellectual property rights, especially patent rights. In particular, no warranty, whether express or implied, or guarantee of product properties in the legal sense is intended or implied. We reserve the right to make any changes according to technological progress or further developments. In the event of any discrepancies between the information stated herein or any other information source and the information stated on the product label, the information stated on the product label will prevail. The customer/user is not released from the obligation to conduct careful inspection and testing of products. Performance of the product described herein should be verified by testing, which should be carried out only by qualified experts in the sole responsibility of the customer on small scale plot. Reference to trade names use by other companies is neither a recommendation nor does it imply that similar products could not be used.